

STEADY

FINISHLINE USER GUIDE LITE v1.0


APRIL 2010
Prepared for NIKE

TABLE OF CONTENTS

Hardware Flow	3
Surge Protector	4
Modem	5
Mac Mini	6
Mac Mini Connections	7
Touch Screen TV	8
Touch Screen TV Connections	9
PC Laptop	10
PC Laptop Connections	11
Garment Printer	12
Heat Press	13
Launching / Quitting T-shirt Customization App	14
Power Off Mac Mini / PC Laptop	15
Reboot Checklist	16
IP Config	17
Touch Screen Calibration	18
Questions / Contact	19

This is a **SURGE PROTECTOR**

- Make sure that all cables are attached securely.
- Use the POWER SWITCH to power on / off the SURGE PROTECTOR.
- If the GREEN POWER INDICATOR is ON, the SURGE PROTECTOR is on.



POWER INDICATOR

POWER SWITCH

This is a **MODEM**

— Make sure that the ETHERNET CARD is inserted securely with care.



ETHERNET CARD

This is a **MAC MINI**

- Make sure that all cables are attached securely (NEXT PAGE).
- Use the **POWER SWITCH** to power on the MAC MINI (it will make startup sound).
- If the **WHITE POWER INDICATOR** is ON, the MAC MINI is on.




POWER INDICATOR

POWER SWITCH




These are the **MAC MINI CONNECTIONS**

- Make sure that POWER is connected securely.
- Make sure that VIDEO (HDMI) is connected securely.
- Make sure that TOUCH SCREEN (USB) is connected securely.
- Make sure that VIDEO is connected securely.
- Make sure that KEYBOARD, MOUSE (USB) is connected securely.



This is a **TOUCH SCREEN TV**

- Make sure that all cables are attached securely (NEXT PAGE).
- Use the REMOTE to power on / off the TV. Point the remote at the LOWER RIGHT of the TV.



POWER SWITCH




These are the **TOUCH SCREEN TV CONNECTIONS**

- Make sure that POWER is connected securely.
- Make sure that VIDEO (HDMI) is connected securely.
- Make sure that AUDIO is connected securely.
- Make sure that TOUCH SCREEN is connected securely.

POWER




VIDEO (HDMI)



AUDIO



TOUCH SCREEN



This is a **PC LAPTOP**

- Make sure that all cables are attached securely (NEXT PAGE).
- Use the POWER SWITCH to power on / off the PC.
- Login Details: username > admin
 password > fieldhous3_r3p



POWER SWITCH

These are the **PC LAPTOP CONNECTIONS**

- Make sure that POWER is connected securely.
- Make sure that PRINTER (USB) is connected securely.




POWER

PRINTER (USB)

This is a **GARMENT PRINTER**

- Make sure that the **PRINTER CABLE (USB)** is attached securely.
- Use the **POWER SWITCH** to power on / off the **PRINTER**.

PRINTER CABLE
(USB)



POWER SWITCH



This is a **HEAT PRESS**

- Use the POWER SWITCH to power on / off the HEAT PRESS.
- It will heat-up automatically in approximately 5-10 minutes.

POWER SWITCH




POWER SWITCH



To LAUNCH the T-SHIRT CUSTOMIZATION APP:

1. Move the MOUSE to the bottom of the screen.
2. The DOCK will appear.
3. Click the T-SHIRT CUSTOMIZATION APP icon (NIKE logo)



T-SHIRT CUSTOMIZATION APP

**To QUIT the T-SHIRT CUSTOMIZATION APP:**


1. Use the KEYBOARD to press COMMAND + Q



COMMAND


To **POWER OFF** the MAC MINI

1. Use the Keyboard and press Command+Q to close the T-shirt Customization App. (detail next page)
2. Use the Mouse to click the Apple icon.
3. Select "Shut Down..."



To **POWER OFF** the PC LAPTOP:

1. Use the Mouse to click the Start Menu icon.
2. Click the small arrow.
3. Select "Shut Down."



STEP-BY-STEP REBOOT CHECKLIST

CONNECTIONS

- 1. Surge Protector Connections are secure (page 4)
- 2. Mac Mini Connections are secure (page 6)
- 3. Touch Screen TV Connections are secure (page 8)
- 4. PC Laptop Connections are secure (pages 10)
- 5. Internet Modem Card is secure (pages)


POWER

- 6. Surge Protector is ON (page 4)
- 7. Mac Minis are ON (pages 5)
- 8. Touch Screen TV's are ON (page 7)
- 9. PC Laptop is ON (pages 9)

IP CONFIG

If the network is completely reset, you will need to update a text file: **ipconfig.xml**

1. On the Mac Mini machines, navigate to [DOCUMENTS/nikePrintQueue/ipconfig.xml](#)
 - 1a. If this file is not present, navigate to DOCUMENTS/nikePrintQueue.zip
 - 1b. Double-click nikePrintQueue.zip
 - 1c. Navigate to DOCUMENTS/nikePrintQueue/ipconfig.xml



2. Open "ipconfig.xml" using [TextEdit](#)




3. Edit the [IP address](#) (e.g. 172.16.231.3), which appears in the file two (2) times
4. Edit the [Store Location](#)




Nike T-Shirt Customization - Finish Line at Greenwood

TOUCH SCREEN CALIBRATION


1. Locate and Click the PQ Multi-Touch Application



2. Click the Calibration button, located in the Calibration tab



3. Tap the center of each plus icon "+" as they appear on-screen



QUESTIONS / CONTACT

Brian.Fairben@nike.com